

18.Oct 07

For examiners amendment, if required, to the specification of filter values as originally filed for application 09/892,351.

Page 9.

For the image viewed through red gel.

Red + cyan 62% ~~51%~~  
Yellow + cyan 40% ~~34%~~  
Green – cyan 70% ~~57%~~  
Cyan – cyan 78% ~~63%~~  
Blue – cyan 58% ~~46%~~  
Magenta + Cyan 55% ~~47%~~  
Black – black 10%

For the image viewed through green-blue gel.

Red – magenta 66% ~~36%~~ – yellow ~~36%~~  
Yellow nil treatment.  
Green + magenta 41% ~~35%~~  
Cyan + magenta 48% ~~37%~~  
Blue + yellow 52% ~~56%~~  
Magenta – black 40% ~~+yellow 20%~~  
Black – black 10%

Page 12.

For the image viewed through red gel.

Red + cyan 100% ~~55%~~ + Black 25%  
Yellow + cyan 50% ~~20%~~  
Green – cyan 53% ~~61%~~  
Cyan – cyan 68%  
Blue – cyan 35% ~~34%~~  
Magenta + Cyan 55% ~~48%~~  
Black + or – optional

For the image viewed through green-blue gel.

Red – magenta 48% ~~45%~~ – yellow ~~30%~~  
Yellow nil treatment ~~+cyan 100 + magenta 3%~~  
Green + magenta 35% ~~28%~~  
Cyan + magenta 65% ~~70%~~  
Blue + yellow 50% ~~55%~~  
Magenta + black 5% ~~+yellow 20%~~  
Black + or – optional

Page 13.

For the image viewed through red gel.

Red + cyan 7% ~~57%~~ – magenta ~~44%~~  
– yellow ~~30%~~  
Yellow + cyan 4% ~~20%~~ + magenta ~~3%~~  
Green – cyan 95% ~~60%~~ + magenta ~~28%~~  
Cyan – cyan 97% ~~67%~~ + magenta ~~69%~~  
Blue – cyan 91% ~~35%~~ + yellow ~~56%~~  
Magenta + Cyan 6% ~~48%~~ + yellow ~~20%~~  
Black + or – optional

For the image viewed through green-blue gel.

Red – magenta 93% ~~44%~~ + cyan ~~57%~~  
– yellow ~~30%~~  
Yellow nil treatment ~~+cyan 20 + magenta 3%~~  
Green + magenta 4% – cyan ~~60%~~ + magenta ~~28%~~  
Cyan + magenta 7% ~~69%~~ – cyan ~~67%~~  
Blue + yellow 50% ~~56%~~ – cyan ~~35%~~  
Magenta nil treatment + Cyan ~~48%~~ + yellow ~~20%~~  
Black + or – optional

  
M. Dawson